

COPY

IN THE CLAIMS:

~~Please amend the Claims so as to read as follows:~~

1. (Withdrawn) A data distribution system, comprising:
 - a plurality of data sources each capable of transmitting a data item; and
 - a data vending machine capable of receiving the data item from said plurality of data sources and selling the received data item to a user; wherein said data vending machine includes
 - a data selecting apparatus operated by a user to select a desired data item,
 - a data source selecting apparatus connected to said data selecting apparatus, and selecting, among said plurality of data sources, that one holding the data item selected by said data selecting apparatus, in accordance with a specific standard,
 - a data receiving apparatus connected to said data source selecting apparatus and receiving said selected data item from the data source selected by said data source selecting apparatus, and
 - a data updating apparatus to which an external storage device is detachably mounted, for writing the data item received by said data receiving apparatus to said external storage device.

2. (Withdrawn) The data distribution system according to claim 1, wherein
~~said data vending machine includes~~
a data information table connected to said data source selecting
apparatus, storing information specifying a desired data item, a
size of each data item, and information specifying a data source
holding each data item, and
a data rate table connected to said data source selecting apparatus,
storing rate of data transmission from said plurality of data
sources to said data vending machine; and
said data source selecting apparatus selects that data source by which
time necessary for reception of the selected data item becomes the
shortest, by making reference to said data information table and
said data rate table.
3. (Withdrawn) The data distribution system according to claim 2, wherein
said data information table further stores price information of each said
data item;
said data vending machine further includes a clock specifying a present
time;
said data updating apparatus has a function of storing in said external
storing medium, information specifying time obtained by referring
to said clock when a data item is written to said external storage
medium and the price information of the data item;
said data vending machine further includes a charging apparatus for
charging for the data item already recorded on said external
storage medium to the user, based on the price information of the
data item already recorded on said external storage medium at the
time of writing the data to said external storage medium by said
data updating apparatus, the time of writing of the last data item
to said external storage medium recorded on said external storage
medium, and on the time obtained by referring to said clock.

COPY

4. (Withdrawn) The data distribution system according to claim 2, wherein
said data information table further stores price information of each said
data item;
said data distribution system further comprising a data reproducing
apparatus for reproducing a data item by mounting said external
storage medium,
said data reproducing apparatus including means for recording
information related to reproduction of said data item in said
external storage medium every time said external storage medium
is mounted and a data item is reproduced; wherein
said data vending machine further includes a charging apparatus
charging for the data item already recorded on said external
storage medium to the user, based on the price information of the
data item already recorded on said external storage medium at the
time of writing data to said external storage medium by said data
updating apparatus, and on the information related to
reproduction of said data item already recorded on said external
storage medium, recorded on said external storage medium.
5. (Withdrawn) The data distribution system according to claim 1, wherein said
data vending machine further includes a data buffering apparatus for
temporarily storing a received data item, and
said data source selecting apparatus handles said data buffering
apparatus as one of said plurality of data sources.

COPY

6. (Withdrawn) The data distribution system according to claim 1, wherein each of said plurality of data sources repeatedly transmits data items; said data vending machine further includes a transmission schedule table connected to said data source selecting apparatus, storing a transmission schedule of data items by said plurality of data sources; and said data source selecting apparatus receives a data item by selecting a data source from which said selected data item can be received at the earliest timing, among said plurality of data sources, by making a reference to said transmission schedule table.
7. (Withdrawn) The data distribution system according to claim 6, wherein said plurality of data sources determine distribution of time allocated to transmission of each data item in accordance with a predetermined standard.
8. (Withdrawn) The data distribution system according to claim 7, wherein said plurality of data sources determine distribution of time allocated to transmission of each data item, as a function of frequency of selection of each data item by said selecting apparatus.
9. (Withdrawn) The data distribution system according to claim 8, wherein said plurality of data sources divide each data item to a plurality of blocks and transmits time-divisionally in accordance with said time distribution respectively, and said data receiving apparatus receives and integrates the plurality of blocks corresponding to said selected data item to restore said selected data item.

COPY

10. (Withdrawn) The data distribution system according to claim 6, wherein
said plurality of data sources divide each data item into a plurality
of blocks and transmits time-divisionally, and
said data receiving apparatus receives and integrates the plurality
of blocks corresponding to said selected data item to restore
said selected data item.

11. (Withdrawn) The data distribution system according to claim 1, further
comprising a vendor distributing non-electronic data, at least
capable of receiving transmission of information from said data
vending machine; wherein
said data selecting apparatus is capable of selecting said
vendor as one of the data sources and designating a
non-electronic data desired by a user; and
said data receiving apparatus has a function of transmitting
information specifying said non-electronic data to the
vendor selected by said data selecting apparatus,
and transmitting information including specific
contents of processing to be performed on said non-
electronic data.

COPY

12. (Withdrawn) A data searching apparatus, comprising:

- a storage device storing a plurality of data items as a set of partial data items structured in a hierarchy of one or a plurality of levels;
- a search condition setting apparatus operated by a user to set a search condition desired by the user and desired level of said one or the plurality of levels from which retrieval is desired by the user;
- a searching apparatus searching said storage device in accordance with the search condition set by said search condition setting apparatus, and retrieving a partial data item matching said search condition on the level set by said user; and
- a writing apparatus to which an external storage device is detachably mounted, for writing said partial data item retrieved by said searching apparatus to said external storage device.

COPY

13. (Withdrawn) A copied data detecting system, comprising
- a data reproducing apparatus to which an external storage medium is mounted, for reproducing a data item recorded on said external storage medium; and
 - a data checking apparatus connected by communication to said data reproducing apparatus, for determining whether the external storage medium mounted on said data reproducing apparatus and of which reproduction is instructed has a data copied without authorization recorded thereon; wherein
- in a normal state of use, each said external storage medium has a unique authentication data allocated and recorded thereon, said authentication data being copied as it is to an external storage medium copied without authorization;
- said data reproducing apparatus includes a reproducing apparatus to which said external storage medium is mountable, for reproducing a data item recorded on said external storage medium in response to an instruction of reproduction,
- a reproduction switch instructing reproduction of the data item to said reproducing apparatus, and
- means responsive to an operation of said reproduction switch for transmitting the authentication data recorded on said external storage medium to said data checking apparatus; and

COPY

said data checking apparatus includes

~~a data management table recording the authentication data~~
transmitted from said data reproduction apparatus for
managing authentication data of the external storage
medium which is being reproduced, and

determining means for determining, by determining whether the
authentication data transmitted from said data reproducing
apparatus already exists in said data management table or
not, whether the external storage medium mounted on said
data reproducing apparatus is an unauthorized copy or not.

14. (Withdrawn) The copied data detecting system according to claim 13,
wherein

said data checking apparatus further includes means responsive
to determination by said determining means that said
external storage medium mounted on said data reproducing
apparatus is an unauthorized copy, for transmitting a
reproduction-prohibited signal to said data reproducing
apparatus; and

said data reproducing apparatus further includes means
responsive to said reproduction-prohibited signal for
stopping reproduction of the data on said external storage
medium by said reproducing apparatus.

COPY

15. (Withdrawn) The copied data detecting system according to claim 13,
wherein

said data reproducing apparatus further includes an end switch
used by a user for instructing end of data reproduction,
and

means responsive to an operation of said end switch for
transmitting the authentication data recorded on said
external storage medium together with information
indicating end of reproduction to said data checking
apparatus; and

said data checking apparatus includes means responsive to said
signal indicating end of reproduction for deleting the
corresponding authentication data from said data
management table.

16. (Withdrawn) A copied data detecting system comprising

a data reproducing apparatus to which an external storage
medium is mounted for reproducing a data item recorded
on said external storage medium; and

a data checking apparatus connected by communication to said
data reproducing apparatus for determining whether said
external storage medium mounted on said data reproducing
apparatus and of which reproduction is instructed has a
data copied without authorization recorded thereon;
wherein

in a normal state of use, a unique authentication data is allocated
to and recorded on each of said external storage medium,
said authentication data being copied as it is to an external
storage medium copied without authorization;

COPY

said data reproducing apparatus includes

- a reproducing apparatus to which said external storage medium is mountable, for reproducing a data item recorded on said external storage medium in response to an instruction of reproduction,

- a reproduction switch instructing reproduction of the data item to said reproducing apparatus, and

- transmitting means responsive to an operation of said reproduction switch for transmitting the authentication data recorded on said external storage medium to said data checking apparatus repeatedly in accordance with a prescribed transmission pattern; and

said data checking apparatus includes

- a data management table recording the authentication data transmitted from said data reproducing apparatus and time of transmission, for managing the authentication data of the external storage medium which is being reproduced, and

- determining means responsive to the authentication data transmitted from said data reproducing apparatus, for determining, based on the record of said data management table and time of transmission of present authentication data, whether the external storage medium mounted on said data reproducing apparatus is an unauthorized copy.

COPY

17. (Withdrawn) The copied data detecting system according to claim 16,
wherein said transmission means starts repeated transmission of
said authentication data to said data checking apparatus
after a prescribed time period in response to an operation of
said reproduction switch, and said prescribed time period is
selected to be a predetermined time period longer than a
time interval of said repeated transmission.
18. (Withdrawn) A copied data detecting system comprising:
a data vending machine allowing mounting of an external storage
medium and selling data to a holder of said external storage
medium by writing a data item to said external storage
medium or updating a data item recorded on said external
storage medium; and
a data checking apparatus connected by communication to said
data vending machine for determining whether the external
storage medium mounted on said data vending machine
has data copied without authorization recorded thereon;
wherein
in a normal state of use, a unique authentication data is allotted
to and recorded on each of said external storage medium,
said authentication data being copied as it is to an external
storage medium copied without authorization; and

COPY

said data vending machine includes

a data updating apparatus in which an external storage medium
is detachably mountable, for writing a data item designated
by a user to said external storage medium,

data management table managing data by recording
authentication data of an external storage medium of which
use is prohibited, and

means responsive to mounting of said external storage medium to
said data updating apparatus, for reading said
authentication data of said external storage medium,
determining whether said authentication data corresponds
to the prohibited use by making a reference to said
management table, and controlling an operation of said
data updating apparatus in accordance with the result of
determination.

19. (Withdrawn) The copied data detecting system according to claim 18,
wherein

said data vending machine further includes means responsive to
the determination by said control means that said
authentication data is not for the data of which use is
prohibited, adding said authentication data to said data
management table, and updating authentication code of
said external storage medium by generating a new unique
authentication code.

COPY

20. (Currently Amended) A data reproducing apparatus for reproducing digital data stored on storage media, said digital data including reproducing apparatus specifying information specifying an apparatus capable of reproduction, comprising:

a housing containing:

- (i) a storage apparatus storing reproduction apparatus ID information unique to said reproducing apparatus;
- (ii) means for reading out said digital data from said storage media, wherein said media includes a data region storing said reproducing apparatus specifying information:
- (iii) a first determining apparatus determining whether said reproducing apparatus is capable of reproducing said digital data from said reproduction apparatus ID information and said reproducing apparatus specifying information;
- (~~iii~~ iv) a control apparatus enabling or disabling reproduction of said digital data by said reproducing apparatus dependent on the result of determination by said first determining apparatus; and
- (~~iv~~ v) a CPU directly controlling the manner of operation of said storage apparatus, said first determining apparatus, and said control apparatus as well as the reproduction of said digital data enabled by said control apparatus as audio and/or video signals.

COPY

21. (Currently Amended) The data reproducing apparatus according to claim 20, wherein
said digital data includes display data to be reproduced visually;
and
said reproducing apparatus ~~comprising~~ comprises a display apparatus for visually reproducing and displaying said digital data.
22. (Previously Presented) The data reproducing apparatus according to claim 20, further comprising an ID information input apparatus responsive to determination by said first determining apparatus that said reproducing apparatus is not a reproducing apparatus capable of reproducing said digital data, urging a user to enter a reproducing apparatus ID information.
23. (Previously Presented) The data reproducing apparatus according to claim 22, further comprising
a second determining apparatus determining whether the data reproducing apparatus specified by the reproducing apparatus ID information input by said ID information input apparatus is a reproducing apparatus capable of reproducing said digital data; wherein
said control apparatus enables or disables reproduction of digital data by said reproducing apparatus dependent on the result of determination by said second determining apparatus.

COPY

24. (Previously Presented) The data reproducing apparatus according to claim 23, further comprising:

~~an update selecting apparatus responsive to the determination by~~
said second determining apparatus that the data reproducing apparatus specified by the reproducing apparatus ID information input by said ID information input apparatus is a reproduction apparatus capable of reproducing said digital data, allowing the user to select whether said reproducing apparatus specifying information is to be updated by said input reproducing apparatus ID information; and

an updating apparatus responsive to the selection by said update selecting apparatus that said reproducing apparatus specifying information is to be updated by said input reproducing apparatus ID information, updating said reproducing apparatus specifying information by said input reproducing apparatus ID information.

COPY

25. (Currently Amended) A data reproducing apparatus for reproducing digital data stored on at least one external storage medium, said digital data including external storage medium specifying information specifying an external storage medium, and said external storage medium corresponding to external storage medium identification information allocated uniquely to each external storage medium in advance, said reproducing apparatus comprising:

a housing containing; and

(i) ~~an~~ at least one external storage medium mounted on said housing, each of said at least one external storage medium storing external storage medium identification information unique to itself;

wherein said housing contains:

(i) ~~identification information reading apparatus to which an external storage medium is mountable, means for reading out said digital data stored on at least one of said at least one the external storage medium, wherein said each of said at least one external storage medium includes a data region storing external storage medium specifying identification information recorded on the mounted external storage medium;~~

(ii) a first determining apparatus determining whether said external storage medium specifying information included in said digital data satisfies a prescribed relation with said external storage medium identification information;

COPY

- (iii) a control apparatus for enabling or disabling reproduction of the digital data by said reproducing apparatus dependent on the result of determination by said first determining apparatus; and
- (iv) a CPU directly controlling the manner of operation of said means for reading out said digital data stored on at least one of said at least one external storage medium ~~identification reading apparatus~~, said first determining apparatus, and said control apparatus as well as the reproduction of said digital data enabled by said control apparatus as audio and/or video signals.

26. (Currently Amended) The data reproducing apparatus according to claim 25, wherein
said digital data includes display data to be reproduced visually; and
said reproducing apparatus comprising a display apparatus for visually reproducing and displaying said digital data.

27. (Previously Presented) The data reproducing apparatus according to claim 20, wherein
said reproducing apparatus specifying information is recorded when reproduction is first performed by the data reproducing apparatus.

COPY

28. (Previously Presented) The data reproducing apparatus according to claim 20, wherein

said reproducing apparatus specifying information is recorded when digital data is sold.

29. (Withdrawn) A display apparatus reproducing and displaying digital data including reproducing apparatus specifying information specifying an apparatus capable of reproduction and copy permission information, comprising: copy permission determining means for reading said copy permission information and for determining whether copying of said digital data is permitted or not; ID information determining means for determining whether the display apparatus is capable of reproducing said digital data from display apparatus ID information unique to said display apparatus and said reproducing apparatus specifying information; and display control means for controlling display and non-display of said digital data dependent on the result of determination by said copy permission determining means and said ID information determining means.

30. (Withdrawn) The display apparatus according to claim 29, wherein said display control means controls the display such that the digital data is displayed regardless of the result of determination by said ID information determining means, when it is determined by said copy permission determining means that copying of said digital data is permitted.